

Epidemiology

Introduction

Epidemiology is the study of the various factors influencing the occurrence, distribution, prevention, and control of disease, injury, and other health-related events in a defined human population.

Epidemiology is one of the cornerstones of public health and helps to guide policy decisions and evidence-based medicine practice by identifying risk factors for disease and targets for preventative healthcare. Epidemiologists provide input to study design, collection, analysis of data, interpretation, and dissemination of results.

Pharmacoepidemiology

Pharmacoepidemiology is the branch of epidemiology that studies the use and effect of medicines in specific population. It studies the relationships between patients, diseases, and medicines.

Some examples of applications of pharmacoepidemiology are to:

- Monitor the use and effects of medicines in populations
- Measure the occurrence of diseases
- Study the natural history of diseases
- Measure the characteristics of patients with and without specific diseases
- Identify medicine and disease associations with risks, benefits, and intended and unintended effects
- Evaluate risk minimisation measures

Some basic concepts of pharmacoepidemiology include:

- Cause-consequence

- Risk estimates
- Study types
- Data sources
- Methods

Cause-consequence

Diseases can be caused by viruses, bacteria, congenital, or acquired alterations of our metabolism due to ageing, genetic factors, and bad lifestyle habits. However, the mechanism through which an isolated factor leads to a medical condition can sometimes be very simple (skateboard fall can result in a broken arm) or sometimes very complex (taking aspirin with naproxen while being genetically susceptible and smoking and being overweight and having hypercholesterolemia and sedentarity may result in an increased risk of ischemic myocardial infarction – however, many of these factors are not absolute; for example, an individual may be a little or very overweight, and this all has an effect on the risk). With regards to health, everyone is different, and everyone might have a different, personal definition of health. Pharmacoepidemiology helps in understanding the different weight of these factors, considered as potential causes, with regards to consequences (benefit or harm).

Risk, risk rate, and relative risk

Risk (also known as **cumulative incidence**) has a similar meaning in epidemiology as it does in everyday usage – it is about chance. Risk is ‘the probability that a negative event will occur’. In epidemiology, risk is the observed or calculated probability that a health event will occur in a known population within a specified timeframe after exposure to a specific hazard.

For example: 200 people (the study population) go for a 2-hour walk in the snow wearing light clothes (the risk factor). After the walk, 10 people develop a cold. The risk (the number

of new cases that occurred during the study) of developing a cold after walking in the snow with light clothes is therefore 5%.

$$\frac{10 \text{ (people who develop a cold)}}{200 \text{ (study population)}} \times 100 = 5\%$$

The **risk rate** (or **incidence rate**) introduces the notion of time. Risk rates also measure the frequency of new cases of a health event in a population, but they take into account the sum of time that each participant remained under observation and at risk of developing the health event under investigation. The risk rate is the frequency with which new health events occur in a particular time frame (for instance, the number of new cases in a time period). In the example above, it is 10 cases per 2 hours.

In the example, everyone walked the same amount of time (2 hours) in the snow – they were all exposed to the risk factor for the same amount of time. In real life, however, things are different. Everyone is exposed to risk factors for different amounts of time. Epidemiology provides a solution to this by considering every subject's exposure time individually and summing it all up to build a 'total exposure time' for the cohort (group of people being studied).

Relative risk measures reflect the increase in frequency of the health event in one population (for instance, the exposed population) versus another population (for instance, the unexposed population), which is treated as the baseline.

$$\text{Relative Risk (RR)} = \frac{\text{Incidence rate in exposed group}}{\text{Incidence rate in unexposed group}}$$

Relative risk measures the strength of an association between exposure and disease. It can be used to assess whether an observed association is likely to be causal.

Types of epidemiological studies

There are different ways to carry out epidemiological studies, depending on whether the exposure is pre-determined or not (experimental and non-experimental studies), and how the assessment is done with regards to time (prospective and retrospective studies).

Experimental studies

Experimental studies determine the exposure by protocol. For instance, to study the efficacy of adding fluoride to the community water supply in preventing dental decay, two similar towns in New York State were considered. In one town, fluoride was added to the water supply; in the other town, nothing was done to the water supply. Over a period of several years, residents of both towns had dental examinations to measure the effect of the intervention.

Non-experimental studies

Non-experimental cohort studies do not determine the exposure by protocol. They are also known as observational or real-life studies. Cohort studies are often conducted with a sample of the general population (all of whom are volunteers that have given their informed consent). For example, a well-known cohort study in the USA, the 'Nurses' Health Study', recruited thousands of nurses. Every two years, participants in the

pharmacoepidemiological research

Clinical data

Epidemiological studies can use clinical data to perform additional analyses on specific subgroups of patients included (post-hoc analysis) or combine multiple sets of clinical trials to obtain a summary of all available evidence regarding a specific treatment (meta-analysis).

Field data

Epidemiologists can collect data in the field in order to build an observational study. A very famous example is the United States National Health and Nutrition Examination Survey, which collects an exhaustive set of information about life habits, diet, and health conditions in the US.

Retrospective observational data

These are data from sources such as claims submitted to health insurance companies, electronic medical records, or medical chart reviews which are available through specific organisations. The advantage of such data is that they are usually large scale (sometimes the size of a country) and may contain a variety of information about any disease, medical procedure, treatment, and associated cost within a specific health system (for instance, an insurance company, a hospital, or an entire national health system).

Registries

Registries are prospective collections of data with a particular goal fixed in advance. For instance, there are multiple cancer registries – such as SEER (Surveillance, Epidemiology, and End Results) – and registries that follow patients treated with a particular medicine in order to

monitor safety in the long term.

[glossary_exclude]Further Resources

- International Society for Pharmacoepidemiology (2007). *Guidelines for good pharmacoepidemiology practices (GPP)*. Retrieved 14 September, 2015, from http://www.pharmacoepi.org/resources/guidelines_08027.cfm
- European Medicines Agency. (n.d.). *Good pharmacovigilance practices*. Retrieved from <https://www.ema.europa.eu/en/human-regulatory-overview/post-authorisation/pharmacovigilance-post-authorisation/good-pharmacovigilance-practices>
- European Network of Centres for Pharmacoepidemiology and Pharmacovigilance. (n.d.). *Methodological Guide. ENCePP Toolkit*. Retrieved 9 March, 2024, from https://encepp.europa.eu/encepp-toolkit/methodological-guide_en

[glossary_exclude]Attachments

- Presentation: (Pharmaco)Epidemiology
Size: 409,953 bytes, Format: .pptx
A presentation describing epidemiology, which can be adapted for own use.

[/glossary_exclude]

A2-5.23-v1.1